	Application No. Applicant(s)		•
Notice of Allowability	09/974,044	74.044 COHEN ET AL.	
	Examiner	Art Unit	
	Maureen M. Wallenhorst	1743	
The MAILING DATE of this communication appeal of the communication appeal claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85; NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Report of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in th ) or other appropriate communic IGHTS. This application is sub	is application. If not inclu cation will be mailed in du	ıded ıe course. <b>THIS</b>
1. $igtimes$ This communication is responsive to <u>the amendment rece</u>	ived on February 25, 2004.		
2. 🔀 The allowed claim(s) is/are <u>1-20</u> .			
3. $igotimes$ The drawings filed on $\underline{ extit{10 October 2001}}$ are accepted by th	e Examiner.		
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority up a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	e been received. e been received in Application N	No	cation from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the I	requirements
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv</li> </ol>			NOTICE OF
6. CORRECTED DRAWINGS ( as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner' Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the sheet in the state of the sheet in the state of the sheet.	son's Patent Drawing Review ( - 's Amendment / Comment or in 1.84(c)) should be written on the c	the Office action of	he back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT</li> </ol>			l. Note the
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. ⊠ Interview Sum Paper No./Ma 08), 7. ⊠ Examiner's Am	il Date	·
of Biological Material	9.	Maureen M. Wa Primary Examine Art Unit: 1743	

Application/Control Number: 09/974,044

Art Unit: 1743

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Anthony Sitko on March 23, 2004.

On lines 7, 8 and 10 of claim 1, the phrase "the parameter" was changed to –the at least one parameter--.

On line 1 of claim 2, the phrase "the parameter" was changed to -the at least one parameter--. On line 2 of claim 2, the phrase "group of parameters comprising:" was changed to -group consisting of--.

On line 1 of claim 10, the phrase "further comprising the step of:" was deleted.

2. The following is an examiner's statement of reasons for allowance: Application serial no. 09/974,044 is being allowed in view of the declaration filed under 35 USC 131 on February 25, 2004, which is persuasive that the inventors of the instant application conceived of the instant invention as recited in the claims before the effective filing date of the Beck et al reference previously applied against the claims in a prior art rejection. In addition, none of the prior art of record teaches or fairly suggests a hemostasis analyzer that is communicatively coupled to a communication network, such as the Internet, that is in turn coupled to an analysis tool having an

Application/Control Number: 09/974,044

Art Unit: 1743

Page 3

algorithm for calculating a hemostasis result based upon information provided by the hemostasis analyzer over the communication network.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/974,044

Art Unit: 1743

3. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Maureen M. Wallenhorst whose telephone number is 571-272-

1266. The examiner can normally be reached on Monday-Wednesday from 6:30 AM to 4:00

PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Jill Warden, can be reached on 571-272-1267. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Maureen M. Wallenhorst

Page 4

Primary Examiner

Art Unit 1743

mmw

March 29, 2004

Maureen M. Wallenhorst PRIMARY EXAMINER GROUP 1700